

- 27) § E. Kokufuta, K. Harada: Potentiometric Titration Behavior of Polyamino Acids Prepared by Thermal Polycondensation, In: *Origin of Life* (Y. Wolman, Ed), D. Reidel Publishing Co., Dordrecht, Boston (1981) pp.277-284.
- 28) E. Kokufuta, Y. Hirai, I. Nakamura: On the Salt-linkage Formations of Porous and Nonporous Silica Particles with Trimethylammonium Glycol Chitosan Iodide, *Makromol. Chem.*, **182**[6], 1715-1725 (1981)
- 29) E. Kokufuta, N. Watanabe, I. Nakamura: On the Function of the Polyion Complex of Methemoglobin and Polyelectrolytes as Cyanide Ion Exchanger, *J. Appl. Polym. Sci.*, **26**[8], 2601-2612 (1981).
- 30) E. Kokufuta, H. Watanabe, I. Nakamura: Preparation of Copolymer of Styrene with Hemin and Its Functional Property as Cyanide Ion Exchanger, *Polym. Bull.*, **4**[6], 603-608 (1981).
- 31) E. Kokufuta, H. Shimizu, I. Nakamura: Salt Linkage Formation of Poly(diallyldimethylammonium chloride) with Acidic Groups in the Polyion Complex between Human Carboxyhemoglobin and Potassium poly(vinyl alcohol) Sulfate, *Macromolecules*, **14**[5], 1178-1180 (1981).
- 32) 細川邦雄、国府田悦男、中村以正：し尿浄化槽における活性汚泥の浄化性能に及ぼす洗浄剤の影響、用水と廃水、**23** [7], 798-802 (1982) (K. Hosokawa, E. Kokufuta, I. Nakamura: Effect of Sanitary Detergents on Bio-degradation Capability of Activated Sludge in a Housedhold Sewage-treatment Tank, *Yousui To Haisui*, **23** [7], 798-802 (1982)).
- 33) E. Kokufuta, S. Fujii, I. Nakamura: Stoichiometric Salt-linkage Formation of Trimethylammonium Glycol Chitosan Iodide with a Carboxylic Type Ion Exchanger, *Makromol Chem.*, **183**[5], 1233-1238 (1982).
- 34) E. Kokufuta, S. Fujii, Y. Hirai, I. Nakamura: Study on Adsorption of Nonionic and Cationic Polymers on Silica Gel by Using Total Organic Carbon Analysis, *Polymer*, **23**[12], 452-456 (1982).

- 35) E. Kokufuta, W. Masumoto, I. Nakamura: Use of Polyelectrolyte Complex for Immobilization of Microorganisms, *J. Appl. Polym. Sci.*, **27**[7], 2503-2512 (1982).
- 36) E. Kokufuta, W. Matsumoto, I. Nakamura: Immobilization of *Nitrosomonas europaea* Cells with Polyelectrolyte Complex, *Biotechnol. Bioeng.*, **24**[7], 1591-1603 (1982).
- 37) E. Kokufuta, H. Watanabe, I. Nakamura: Copolymers of Hemin and Vinyl Monomers as Cyanide Ion Exchangers: Modification of the Ion Exchange Properties by Introduction of Acrylamide Residues, *Polymer*, **23**[12], 1815-1820 (1982).
- 38) E. Kokufuta, H. Shimizu, I. Nakamura: Stoichiometric Complexation of Human Serum Albumin with Strongly Acidic and Basic Polyelectrolytes, *Macromolecules*, **15**[6], 1618-1621 (1982).
- 39)* 国府田悦男 : ポリアミノ酸中の解離基の定量法: 電位差滴定法を中心として、高分子、**31**[3], 236-237 (1982) (E. Kokufuta: Quantitative Analyses of Ionizable Groups In Polyamino Acids, *Koubunshi*, **31**[3], 236-237 (1982)).
- 40) E. Kokufuta, A. Yokota, I. Nakamura: Change in the Molecular Weight Distribution of Poly(ethylene oxide) Caused by the Complexation with Poly(acrylic acid), *Polymer*, **24**[8], 1031-1034 (1983).
- 41) § E. Kokufuta, K. Harada: Characterization of Ionizable Groups in Thermally Prepared Polyamino Acids, In: *Molecular Evolution and Protobiology* (K. Matsuno, K. Dose, K. Harada, D. L. Rohlffing, Eds), Plenum Press (1984) pp. 103-123.
- 42) E. Kokufuta, H. Hasegawa, I. Nakamura: Preparation of Copoly(styrene-divinylbenzene) Covalently Bonded Protohemin-mono-N-histidyl Amide and Its Functional Property as Cyanide Ion Exchanger, *Polym. Bull.*, **11**[3], 209-214 (1984).
- 43) E. Kokufuta, H. Sakai, K. Harada: Factors Controlling the Size of Proteinoid Microspheres, *BioSystems*, **16**[3/4], 175-181 (1984).
- 44) E. Kokufuta, T. Sodeyama, K. Fujimori, K. Harada, I. Nakamura: D-H Exchange and Hydroxylation of (²H₃)Acetic Acid in Aqueous Solution During Glow Discharge

Electrolysis, *J. Chem. Soc., Chem. Commun.*, [2], 269-270 (1984).

- 45) H. Tanaka, H. Kurosawa, E. Kokufuta, I.A. Veliky: Preparation of Immobilized Glucoamylase Using Ca-Alginate Gel Coated with Partially Quaternized Poly(ethyleneimine), *Biotechnol. Bioeng.*, **26**[11] 1393-1394 (1984).
- 46)* 中村以正、国府田悦男：水浄化機能を有する機能性高分子、*化学工業*、**35**[12], 1065-1069 (1984) (I. Nakamura, E. Kokufuta: Functional Polymers Available in Waste-water Treatment, *Kagaku Kogyo*, **35**[12], 1065-1069 (1984)).
- 47) E. Kokufuta, T. Shibasaki, I. Nakamura, K. Hrada, T. Sodeyama, K. Harada: Degradation of Polyethylene Glycol in a Localized Reaction Zone during Glow Discharge Electrolysis, *J. Chem. Soc., Chem. Commun.*, [2], 100-102 (1985).
- 48) E. Kokufuta, T. Shibasaki, T. Sodeyama, K. Harada: Simultaneously Occurring Hydroxylation, Hydration, and Hydrogenation of the C=C Bond of Aliphatic Carboxylic Acids in Aqueous Solution by Glow Discharge Electrolysis, *Chem. Lett.*, [10], 1569-1572 (1985).
- 49) E. Kokufuta, H. Watanabe, K. Saito, I. Nakamura: Coordination Behavior of Cyanide Ion to Hemin Uncomplexed and Complexed with Several Synthetic Polymer Ligands, *J. Appl. Polym. Sci.*, **30**[8], 3134-3151 (1985).
- 50) E. Kokufuta, H. Watanabe, K. Saito, I. Nakamura: Ternary Copolymers of Hemin, Styrene, and 1-Vinyl-imidazole or 1-Vinyl-2-methylimidazol as Cyanide Ion Exchanger, *J. Appl. Polym. Sci.*, **30**[9], 3557-3567 (1985).
- 51) E. Kokufuta, K. Saito: Synthesis of Divinylbenzene-crosslinked Terpolymer Consisting of Hemin, Styrene, and 1-Vinyl-2-methyl-imidazole as Cyanide Ion Exchanger, *Polym. Bull.*, **14**[1], 93-98 (1985).