

- 116) J. Xia, P. L. Dubin, T. Izumi, M. Hirata, E. Kokufuta: Dynamic and Electrophoretic Light Scattering of Poly(dimethyldiallylammonium chloride) in Salt-free Solutions, *J. Polym. Sci., Polym Phys. Edn. Part B, Polymer Physics*, **34**[3], 497-503 (1996).
- 117) § E. Kokufuta, Functional Immobilized Biocatalysts Prepared Using Stimulus-sensitive Polymer Gels, In: *The Polymeric Materials Encyclopedia - Synthesis, Properties and Applications*, Vol. 4, F-G (J. C. Salamone Ed), CRC Press, NY (1996) pp.2615-2621.
- 118) E. Kokufuta, S. Matsukawa: Construction of a Biochemo-Mechanical System Using Inhomogeneous Polyelectrolyte Gels with Immobilized Urease, *Ber. Bunsenges. Phys. Chem.*, **100**[6], 1073-1078 (1996).
- 119) A. Tsuboi, T. Izumi, M. Hirata, J. Xia, P. L. Dubin, E. Kokufuta: Complexation of Proteins with a Strong Polyanion in an Aqueous Salt-free System, *Langmuir*, **12**[26], 6295-6303 (1996).
- 120) § 国府田悦男：“生体模倣化学とエコマテリアルズ”、*自然融合材料*、(未踏科学技術協会エコマテリアル研究会監修、長井寿編), 化学工業日報社, (1997) pp.9-33 (E. Kokufuta: Biomimetic Chemistry and Environmentally Conscious Materials, In: *Materials Simulating Natural Biofunctions* (K. Nagai Ed), Kagaku Kogyo Nippo Publishers, Tokyo, Japan (1997) pp.9-33).
- 121) E. Kokufuta, H. Suzuki, D. Sakamoto: On the Local Binding of Ionic Surfactants to Poly(*N*-isopropylacrylamide) Gels, *Langmuir*, **13**[10] 2627-2632 (1997).
- 122) Y. Kashiwagi, E. Kokufuta, T. Kawashima: Selective Determination of Selenium(IV) and Selenium(VI) in Waste Water by Graphite Furnace AAS after Reductive Coprecipitation on Tellurium Collector by Ascorbic Acid, Tin(II) Chloride and Hydrazinium Sulfate, *Anal Sci.*, **13**, 623-628 (1997).
- 123)* 国府田悦男：エコマテリアル化のための自然融合技術、*環境科学会誌*、**10**[2], 173-187 (1997) (E. Kokufuta: Design and Construction of Environmentally Conscious Materials through Simulating Natural Products and Biofunctions, *Environ. Sci. (Journal of Soc. of Environ. Sci., Jpn.)*, **10**[2], 173-187 (1997)).

- 124) E. Kokufuta, Y. Aman: A Biochemo-Mechanical System Consisting of Polymer Gels with Immobilized Glucose Dehydrogenase, *Polym. Gels & Networks*, **5**[5], 439-454 (1997).
- 125) B. Wang, S. Mukataka, M. Kodama, and E. Kokufuta: Viscometric and Light Scattering Studies on Microgel Formation by γ -Ray Irradiation to Aqueous Oxygen-free Solutions of Poly(vinyl alcohol), *Langmuir*, **13**[12], 6108-6114 (1997).
- 126) § 国府田悦男：“医用センサ”、*ゲルハンドブック*（第3篇4章11節）、長田、梶原（編）、エヌ・ティー・エス出版社、(1997) pp. 548-551 (E. Kokufuta: Biosensos, In: *Gel Handbook*, Vol. 3, Chap. 3, (Y. Osada, K. Kajiwara Eds), NTS Publishers, Tokyo, Japan (1997) pp. 548-551.
- 127) § 国府田悦男：“バイオケモメカニカルゲル”、*ゲルテクノロジー*（第3編4章10節）、阿部、村勢、鈴木（編）、サイエンスフォーラム、(1997) pp. 26-30 (E. Kokufuta: Biochemo-Mechanical Gels, in *Gel Technologies* (M. Abe, N. Murase, T. Suzuki Eds), Science Forum, Tokyo, Japan (1997) pp. 26-30)
- 128) H. Uchiyama, C. Kato, E. Kokufuta, O. Yagi: Quantitative Colorimetric Determination of Trichloroethylene Degradation Activity and Implications for Environmental Use, *Environ. Technol.*, **18**[11], 1123-1131 (1997).
- 129) E. Kokufuta, H. Suzuki, R. Yoshida, K. Yamada, M. Hirata, F. Kaneko: Role of Hydrogen Bonding and Hydrophobic Interaction in the Volume Collapse of a Poly(ethyleneimine) Gel, *Langmuir*, **14**[4], 788-795 (1998).
- 130) E. Kokufuta, B. Wang, R. Yoshida, A. R. Khokhlov, M. Hirata: Volume Phase Transition of Polyelectrolyte Gels with Different Charge Distributions, *Macromolecules*, **31**[20], 6878-6884 (1998).
- 131) R. Yoshida, T. Takahashi, T. Yamaguchi, H. Ichijo, E. Kokufuta: Self-oscillation of Polymer Gels Coupled with the Belousov-Zhabotinsky Reaction, *ACH Models in Chemistry*, **135**[3], 409-416 (1998).
- 132) 吉田 亮、国府田悦男：化学・生物化学反応によって駆動する高分子ゲルの設計

と構築、*高分子論文集*、55[4], 182-191 (1998). (R. Yoshida , E. Kokufuta: Molecular Construction and Design of Chemically and Biochemically Driven Polymer Gels, *Kobunshi Ronbunshu*, 55[4], 182-191 (1998)).

- 133) B. Wang, M. Kodama, S. Mukataka, E. Kokufuta: On the Intermolecular Crosslinking of PVA Chains in an Aqueous Solution by γ - Ray Irradiation, *Polym. Gels & Networks*, 6[1], 71-81 (1998).
- 134) T. Tokuhiko, S. Ito, E. Kokufuta: Reversed Thermal Behaviors of Poly[*N*-(1,3-dioxolan-2-ylmethyl)-*N*-methylacrylamide] and Its Cross-Linked Analogue in Liquids: Water vs Alcohols, *Macromolecules*, 31[24], 8549-8557 (1998).
- 135) S. Azegami, A. Tsuboi, T. Izumi, M. Hirata, P. L. Dubin, B. Wang, E. Kokufuta: Formation of an Intrapolymer Complex from Human Serum Albumin and Poly(Ethylene Glycol), *Langmuir*, 15[4], 940-947 (1999).
- 136) H. Suzuki, E. Kokufuta: Inhomogeneous Binding of Ionic Surfactants to Bulk Gels and Microgels Consisting of Poly(*N*-isopropylacrylamide), *Colloids and Surfaces A*, 147[1/2], 233-240 (1999).
- 137) E. Kokufuta, H. Suzuki, R. Yoshida, F. Kaneko, K. Yamada, M. Hirata: Volume Collapse of a Cationic Poly(ethyleneimine) Gel Induced by the Binding of Anionic Surfactants, *Colloids and Surfaces A*, 147[1/2], 179-187 (1999).
- 138) S. Ito, K. Ogawa, H. Suzuki, B. Wang, R. Yoshida, E. Kokufuta: Preparation of Thermosensitive Submicron Gel Particles with Anionic and Cationic Charges, *Langmuir*, 15[12], 4289-4294 (1999).
- 139) H. Suzuki, B. Wang, R. Yoshida, and E. Kokufuta: Potentiometric Titration Behaviors of Polymer and Gel Consisting of *N*-Isopropylacrylamide and Acrylic Acid, *Langmuir*, 15[12], 4283-4288 (1999).
- 140)* E. Kokufuta: Polyelectrolyte-coated Microcapsules and Their Potential Applications to Biotechnology, *Bioseparation*, 7[4], 241-252 (1999).

- 141) R. Yoshida, S. Onodera, T. Yamaguchi, E. Kokufuta: Aspects of the Belousov-Zhabotinsky Reaction in Polymer Gels, *J. Phys. Chem., A*, **103**[43], 8573-8578 (1999).
- 142) R. Yoshida, E. Kokufuta, T. Yamaguchi: Beating Polymer Gels Coupled with a Nonlinear Chemical reaction, *CHAOS*, **9**[2], 260-266 (1999).
- 143) R. Yoshida, T. Yamaguchi, E. Kokufuta: New Intelligent Polymer Gel: A Self-oscillating Gel with Peacemaking and Actuating Functions, *J. Artif. Organs*, **2**, 135-140 (1999).
- 144)* 国府田悦男、小川和義：刺激応答性ゲル：10年間の研究動向、*高分子*、**48**[6], 1404-407 (1999) (E. Kokufuta, Y. Ogawa: Stimuli-responsive Gels: Trends in Researches for the Past Decade and Current Topics, *Kobunshi*, **48**[6], 1404-407 (1999)).
- 145) 本間志乃、国府田悦男、島田秋彦、廖 中強、下條信弘：有機塩素系溶剤の中樞神経毒性：グリア由来培養細胞を用いた毒性評価、*環境科学会誌*、**12**[3], 351-355 (1999) (S. Homma, E. Kokufuta, A. Shimada, Z.-Q. Liao, N. Shimojo: Neurotoxicity of Organochlorinated Solvents in Rat C6 Glioma Cells, *Environ. Sci. (Journal of Soc. of Environ. Sci., Jpn.)*, **12**[3], 351-355 (1999)).
- 146)* 国府田悦男：ゲルを用いたバイオケモメカニカルシステムの構築、*機能材料*、**19**[1], 57-61 (1999) (E. Kokufuta: Construction of Biochemo-Mechanical Systems Using Gels, *Functions & Materials (A Review Journal published by CMC Co., Ltd, Tokyo)*, **19**[1], 57-61 (1999)).
- 147) J. Xia, P.L. Dubin, E. Kokufuta, H. Havel, B. B. Muhoberac: Light scattering, CD, and Ligand Binding Studies of Ferrihemoglobin-Polyelectrolyte Complexes, *Biopolymers*, **50**[2], 153-161 (1999).
- 148) R. Yoshida, T. Yamaguch, E. Kokufuta: Molecular Design Self-Oscillating Polymer Gels and Their Dynamic Swelling-Deswelling Behaviors, *J. Intellig. Mater. Sys. Struct.*, **10**[6], 451-457 (1999).
- 149) B. Wang, S. Mukataka, E. Kokufuta, M. Ogiso, M. Kodama: Viscometric, Light Scattering, and Size-Exclusion Chromatography Studies on the Structural Changes of Aqueous Poly(vinyl alcohol) Induced by γ - Ray Irradiation, *J. Polym. Sci., Polym Phys.*

Edn. Part B, Polymer Physics, **38**[1], 214-221 (2000).

- 150) D. Takahashi, Y. Kubota, K. Kokai, T. Izumi, M. Hirata, E. Kokufuta: Effects of Surface Charge Distribution of Proteins in Their Complexation with Polyelectrolytes in an Aqueous Salt-Free System, *Langmuir*, **16**[7], 3133-3140 (2000).
- 151) B. Wang, S. Mukataka, E. Kokufuta, M. Kodama: The Influence of Polymer Concentration on the Radiation-Chemical Yield of Intermolecular Crosslinking of Poly(vinyl alcohol) by Gamma-rays in Deoxygenated Aqueous Solution, *Radiat. Phys. Chem.*, **59**[1], 91-95 (2000).
- 152) R. Yoshida, T. Yamaguchi, E. Kokufuta: Self-Oscillation Mechanism of Hydrogel Coupled with Chemical Oscillations, *Macromolc. Symp.*, **160**, 183-189 (2000).
- 153) R. Yoshida, M. Tanaka, S. Onodera, T. Yamaguch, E. Kokufuta: In-Phase Synchronization of Chemical and Mechanical Oscillations in Self-Oscillating Gels, *J. Phys. Chem. A*, **104**[32], 7549-7555 (2000).
- 154) K. Miyakawa, F. Sakamoto, R. Yoshida, E. Kokufuta, T. Yamaguch: Chemical Waves in Self-Oscillating Gels, *Phys. Rev. E.*, **62**[1], 793-798 (2000).
- 155) Y. Kashiwagi, E. Kokufuta: Selective Determination of Selenite and Selenate in Wastewater by Graphite Furnace AAS after Iron(III) Hydroxide Coprecipitation and Reductive Coprecipitation on Palladium Collector Using Hydrazinium Sulfate, *Anal. Sci.*, **16**[11], 1215-1219 (2000).
- 156) § B. Wang, E. Kokufuta: Complexation of Proteins with Polymers in Aqueous Solutions, In: *Advances in Crystal Growth Inhibition Technologies* (Proceeding of 218th ACS Symposium) (Z. Amjad ed), Kluwer Academic / Plenum Publisheres, New York, Boston, Dordrecht, London, Moscow, (2000) pp.235-254.
- 157)* 国府田悦男 : ゲルの機能とマテリアルライフ ; 刺激応答性ゲルを中心として、マテリアルライフ、**12**[4], 171-179 (2000) (E. Kokufuta: Functional Capability and Materials Life of Gels; Focusing on Stimuli-sensitive Gels, *Materials Life*, **12**[4], 171-179 (2000)) .