

- 186) M. Miyake, K. Ogawa, E. Kokufuta: Light Scattering Study of Polyelectrolyte Complex Formation between Anionic and Cationic Nanogels in an Aqueous Salt-free System, *Langmuir*, **22**[17], 7335-7341 (2006).
- 187)* 国府田悦男: 高分子電解質ナノゲル微粒子: 粒子内・粒子間相互作用、*高分子加工*、**55**[3], 98-103 (2006) (E. Kokufuta: Polyelectrolyte Nanogel Particles: Intra- and Inter-particle Interactions, *Polymer Applications*, **55**[3], 98-103 (2006)).
- 198)* 國府田悦男: 高分子電解質ナノゲル微粒子: 静電相互作用による複合体形成について、*ケミカル・エンジニアリング*、**51**[12], 923-928 (2006) (E. Kokufuta: Polyelectrolyte Nanogel Particles: On the Formation of Their Complexes via Electrostatic Interaction, *Chemical Engineering*, **51**[12], 923-928 (2006)).
- 189) T. Okubo, E. Itoh, A. Tsuchida, E. Kokufuta: Drying Dissipative Structures of the Thermo-sensitive Gels of Poly (*N*-isopropyl acrylamide) on a Cover Glass, *Colloid & Polym. Sci.*, **285**[3] (2006).
- 190) H. Matsunami, R. Kikuchi K. Ogawa, E. Kokufuta: Light Scattering Study of Complex Formation between Protein and Polyelectrolyte at Various Ionic Strengths, *Colloids & Surfaces B: Biointerfaces*, **56**[1/2], 142–148 (2007).
- 191) H. Matsunami, C. Fujita, K. Ogawa, E. Kokufuta: Static Light Scattering Study of Complex Formation between Protein and Neutral Water-soluble Polymer, *Colloids & Surfaces B: Biointerfaces*, **56**[1/2], 149–154 (2007).
- 192) T. Mizunuma, E. Kokufuta, S. Sato: A Mycelium with Polyelectrolyte Complex-bunched Hyphae: Preparation and Fermentation Performance, *Colloids & Surfaces B: Biointerfaces*, **56**[1/2], 155–160 (2007).
- 193) K. Ogawa, S. Sato, E. Kokufuta: On an Intra-particle Complex of Cationic Nanogel with a Stoichiometric Amount of Bound Polyanions, *Langmuir*, **23**[4], 2095-2102 (2007).
- 194) E. Kokufuta K. Ogawa, R. Doi, R. Kikuchi, and R. S. Farinato: Geometrical Characteristics of Polyelectrolyte Nanogel Particles and Their Polyelectrolyte Complexes Studied by Dynamic and Static Light Scattering, *J.Phys.Chem. B*, **111**[29] 8634-8640

(2007).

- 195) T. Mizunuma, E. Kokufuta and S. Sato: A Mycelium with Polyelectrolyte Complex-bunched Hyphae: Several Important Factors Affecting on the Fermentation Performance at a Very High Cell Density, *Colloids & Surfaces B: Biointerfaces*, **57**[1/2], 56–60 (2007).
- 196) R. Doi, K. Ogawa and E. Kokufuta: Electrochemically Induced Aggregation of Intra-particle Cationic Nanogel Complexes with a Stoichiometric Amount of Bound Polyanions, *Colloid Polym. Sci.*, **286**[2], 201-208 (2008).
- 197)* 竹川 雅実, 小川 和義, 国府田 悦男: 高分子電解質ナノゲル系のコンプレックス形成について, *オレオサイエンス*, **8**[2], 9-11 (2008) (M. Takekawa, K. Ogawa, E. Kokufuta: On the Complex Formation in Polyelectrolyte Nanogel Systems, *Journal of Oleo Science*, **8**[2], 9-11 (2008)).
- 198) M. Furukawa, R. S. Farinato and E. Kokufuta: Potentiometric Titration Behavior of Poly(acrylic acid) within a Cross-linked Polymer Network Having Amide Groups, *Colloid Polym. Sci.*, **286**[12], 1425-1434 (2008).
- 199) M. Takekawa and E. Kokufuta: Swelling–Shrinking Behaviors of Poly(N-isopropylacrylamide) and Poly(N-n-propylacrylamide) Gels Prepared by Chemical and Radiation Crosslinking Methods, *Colloid Polym. Sci.*, **287**[3], 323-334 (2009).
- 200) M. Kano and E. Kokufuta: On the Temperature-Responsive Polymers and Gels Based on N-Propylacrylamides and N-Propylmethacrylamides, *Langmuir*, **25**[15], 8649-8655 (2009).
- 201) M. Masaki, K. Ogawa and E. Kokufuta: Unusual Behavior in Light Scattering Experiments of Poly(N-vinylimidazole) Prepared by Precipitation Polymerization, *Colloid Polym. Sci.*, **287**[12], 1405-1415 (2009)
- 202) T. Okubo, E. Kokufuta, M. Nakamura, K. Yoshinaga, M. Mizutani, and A. Tsuchida: Drying Dissipative Structures of *Lycopodium* Spore Particles in Aqueous Dispersion,

Colloids & Surfaces B: Biointerfaces, **80**[2], 193–199 (2010).

- 203) R. Doi and E. Kokufuta: On the Water Dispersibility of a 1:1 Stoichiometric Complex between a Cationic Nanogel and Linear Polyanion, *Langmuir*, **26**[16], 13579–13589 (2010).
- 204) R. Doi and E. Kokufuta: Conductometric and Light Scattering Studies on the Complexation between Cationic Polyelectrolyte Nanogel and Anionic Polyion, *Langmuir*, **27** [1], 392–398 (2011).
- 205) M. K. Kokufuta, S. Sato, E. Kokufuta: Swelling–Shrinking Behavior of Chemically Cross-linked Polypeptide Gels from Poly(α -L-lysine), Poly(α -DL-lysine), Poly(ϵ -L-lysine) and Thermally Prepared Poly(lysine): Effects of pH, Temperature and Additives in the Solution, *Colloid. Surf. B*, **87**[2], 299–309 (2011).
- 206) M. K. Kokufuta, E. Kokufuta: LCST Behavior of Copolymers of N-Isopropylacrylamide and N-Isopropylmethacrylamide in Water, *Colloid Polym. Sci.* **290**[16], 1671-1681 (2012).
- 207) M. Masaki, E. Kokufuta: Polyampholyte Gels of a Cross-linked Polyanion or Polycation Network into Which an Oppositely Charged Polyion Was Immobilized: Their pH-Induced Swelling/Shrinking Characteristics, *Colloid Polym. Sci.*, **291**[3], 669-681 (2013).
- 208) E. Kokufuta, S. Sato, M. K. Kokufuta: Electrophoretic Behavior of Microgel-Immobilized Polyions, *Langmuir*, **29** [49], 15442–15449 (2013).